ELSEVIER SCIENCE IRELAND

Mechanisms of Development 45 (1993) 279–280

Author Index

Adler, P.N., see Park, W.-J. (45) 127

Baker, B.S., see Rabelo, E.M.L. (45) 49
Brem, G., see Kaltschmidt, C. (45) 203
Britten, R.J., see Cameron, R.A. (45) 31
Britten, R.J., see Leahy, P.S. (45) 255

Cameron, R.A., Smith, L.C., Britten, R.J. and Davidson, E.H.
Ligand-dependent stimulation of introduced mammalian brain receptors alters spicule symmetry and other morphogenetic events in sea urchin embryos (45) 31
Cameron, R.A., see Leahy, P.S. (45) 255
Capco, D.G., see Gallicano, G.I. (45) 211
Cardellini, P., Polo, C. and Coral, S.
Suramin and heparin: aspecific inhibitors of mesoderm induction in the *Xenopus laevis* embryo (45) 73
Chambers, I., see Yoshida, K. (45) 163
Chambon, P., see Dollé, P. (45) 91
Chambon, P., see Mendelsohn, C. (45) 227
Chen, L., see Soprano, D.R. (45) 243
Clement, J.H., see Lef, J. (45) 117
Clifford, J., see Mendelsohn, C. (45) 227
Coral, S., see Cardellini, P. (45) 73
Crews, S.T., see Franks, R.G. (45) 269

Davidson, E.H., see Cameron, R.A. (45) 31
Davidson, E.H., see Leahy, P.S. (45) 255
De Robertis, E.M., see Pfeffer, P.L. (45) 147
Dickson, C., see Mason, I.J. (45) 15
Dollé, P., Fraulob, V., Kastner, P. and Chambon, P.
Developmental expression of murine retinoid X receptor (RXR) genes (45) 91
Dziadek, M., see Thomas, T. (45) 193

Emori, Y., see Sugaya, R. (45) 139
Estrabot, A.M.G., see Richardson, J.C. (45) 173

Franks, R.G. and Crews, S.T.
Transcriptional activation domains of the single-minded bHLH protein are required for CNS midline cell development (45) 269
Fraulob, V., see Dollé, P. (45) 91
Fuller-Pace, F., see Mason, I.J. (45) 15

Gallicano, G.I., Larabell, C.A., McGaughey, R.W. and Capco, D.G.
Novel cytoskeletal elements in mammalian eggs are composed of a unique arrangement of intermediate filaments (45) 211
Glaser, G., see Lukowitz, W. (45) 105
Guénal, I., see Mével-Ninio, M. (45) 155
Gyda, III, M., see Soprano, D.R. (45) 243

Harnish, D.C., see Soprano, D.R. (45) 243
Hartmann, C., Taubert, H., Jäckle, H. and Pankratz, M.J.
A two-step mode of stripe formation in the *Drosophila* blastoderm requires interactions among primary pair rule genes (45) 3
Hosoya, T., see Sugaya, R. (45) 139
Hülskamp, M., see Lukowitz, W. (45) 105

Ishimaru, S., see Sugaya, R. (45) 139

Jäckle, H., see Hartmann, C. (45) 3
Jiang, H., see Soprano, D.R. (45) 243

Kaltschmidt, C., Muller, M., Brem, G. and Renkawitz, R.
DNase I hypersensitive sites far upstream of the rat tryptophan oxygenase gene direct developmentally regulated transcription in livers of transgenic mice (45) 203
Kastner, P., see Dollé, P. (45) 91
Kishimoto, T., see Yoshida, K. (45) 163
Knöchel, W., see Lef, J. (45) 117
Knox, M.A., see Leahy, P.S. (45) 255
Kochhar, D.M., see Soprano, D.R. (45) 243
Köster, M., see Lef, J. (45) 117

Larabell, C.A., see Gallicano, G.I. (45) 211
Larkin, S., see Mendelsohn, C. (45) 227
Leahy, P.S., Cameron, R.A., Knox, M.A., Britten, R.J. and Davidson, E.H.
Development of sibling inbred sea urchins: Normal embryogenesis, but frequent postembryonic malformation, arrest and lethality (45) 255
Lef, J., Clement, J.H., Oschwald, R., Köster, M. and Knöchel, W.
Spatial and temporal transcription patterns of the *forkhead* related XFD-2/XFD-2′ genes in *Xenopus laevis* embryos (45) 117
LeMeur, M., see Mendelsohn, C. (45) 227
Limbourg-Bouchon, B., see Mével-Ninio, M. (45) 155
Liu, J., see Park, W.-J. (45) 127
Lukowitz, W., Schröder, C., Glaser, G., Hülskamp, M. and Tautz, D.
Regulatory and coding regions of the segmentation gene *hunchback* are functionally conserved between *Drosophila virilis* and *Drosophila melanogaster* (45) 105

Mark, M., see Mendelsohn, C. (45) 227
Mason, I.J., Fuller-Pace, F., Smith, R. and Dickson, C.
FGF-7 (keratinocyte growth factor) expression during mouse development suggests roles in myogenesis, forebrain regionalisation and epithelial–mesenchymal interactions (45) 15
McGaughey, R.W., see Gallicano, G.I. (45) 211
Mendelsohn, C., Larkin, S., Mark, M., LeMeur, M., Clifford, J., Zelent, A. and Chambon, P.
RARβ isoforms: distinct transcriptional control by retinoic acid and specific spatial patterns of promoter activity during mouse embryonic development (45) 227
Mével-Ninio, M., Guénal, I. and Limbourg-Bouchon, B.
Production of dominant female sterility in *Drosophila melanogaster* by insertion of the *ovo*^{D1} allele on autosomes: use of transformed strains to generate germline mosaics (45) 155

Morio, T., Takeuchi, I. and Tasaka, M.
Cooperation of positively and negatively acting promoter elements determines prespore-specific transcription of Dp87 gene in *Dictyostelium* (45) 59
Muller, M., see Kaltschmidt, C. (45) 203

Nichols, J., see Yoshida, K. (45) 163

Oschwald, R., see Lef, J. (45) 117

Pankratz, M.J., see Hartmann, C. (45) 3
Park, W.-J., Liu, J. and Adler, P.N.
The *frizzled* gene of *Drosophila* encodes a membrane protein with an odd number of transmembrane domains (45) 127
Pfeffer, P.L. and De Robertis, E.M.
Regional specificity of RARγ isoforms in *Xenopus* development (45) 147
Polo, C., see Cardellini, P. (45) 73

Rabelo, E.M.L., Baker, B.S. and Tata, J.R.
Interplay between thyroid hormone and estrogen in modulating expression of their receptor and vitellogenin genes during *Xenopus* metamorphosis (45) 49
Renkawitz, R., see Kaltschmidt, C. (45) 203
Richardson, J.C., Estrabot, A.M.G. and Woodland, H.R.
XrelA, a *Xenopus* maternal and zygotic homologue of the p65 subunit of NF-κB. Characterisation of transcriptional properties in the developing embryo and identification of a negative interference mutant (45) 173

Saigo, K., see Sugaya, R. (45) 139
Saito, M., see Yoshida, K. (45) 163
Satre, M., see Soprano, D.R. (45) 243
Schröder, C., see Lukowitz, W. (45) 105
Shoyab, M., see Yoshida, K. (45) 163
Smith, A., see Yoshida, K. (45) 163
Smith, L.C., see Cameron, R.A. (45) 31
Smith, R., see Mason, I.J. (45) 15
Soprano, D.R., Gyda, III, M., Jiang, H., Harnish, D.C., Ugen, K., Satre, M., Chen, L., Soprano, K.J. and Kochhar, D.M.
A sustained elevation in retinoic acid receptor-β2 mRNA and protein occurs during retinoic acid-induced fetal dysmorphogenesis (45) 243
Soprano, K.J., see Soprano, D.R. (45) 243
Sugaya, R., Ishimaru, S., Hosoya, T., Saigo, K. and Emori, Y.
A *Drosophila* homolog of human proto-oncogene *ret* transiently expressed in embryonic neuronal precursor cells including neuroblasts and CNS cells (45) 139

Taga, T., see Yoshida, K. (45) 163
Takeuchi, I., see Morio, T. (45) 59
Tasaka, M., see Morio, T. (45) 59
Tata, J.R., see Rabelo, E.M.L. (45) 49
Taubert, H., see Hartmann, C. (45) 3
Tautz, D., see Lukowitz, W. (45) 105
Thomas, T. and Dziadek, M.
Expression of collagen α1(IV), laminin and nidogen genes in the embryonic mouse lung: implications for branching morphogenesis (45) 193

Ugen, K., see Soprano, D.R. (45) 243

Woodland, H.R., see Richardson, J.C. (45) 173

Yasukawa, K., see Yoshida, K. (45) 163
Yoshida, K., Chambers, I., Nichols, J., Smith, A., Saito, M., Yasukawa, K., Shoyab, M., Taga, T. and Kishimoto, T.
Maintenance of the pluripotential phenotype of embryonic stem cells through direct activation of gp130 signalling pathways (45) 163

Zelent, A., see Mendelsohn, C. (45) 227

ELSEVIER SCIENCE IRELAND

Mechanisms of Development 45 (1994) 281–283

Subject Index

Basement membrane
Embryonic lung; Branching morphogenesis; Laminin; Nidogen; Collagen IV (Thomas, T. (45) 193)

Basic-helix-loop-helix
Drosophila; PAS domain; *single-minded*; Transcriptional activator (Franks, R.G. (45) 269)

Branching morphogenesis
Embryonic lung; Basement membrane; Laminin; Nidogen; Collagen IV (Thomas, T. (45) 193)

Cellular interaction
Signal transduction; Conditional specification; 7TD receptor; Serotonin; Nuclear distribution (Cameron, R.A. (45) 31)

Ciliary neurotrophic factor
Differentiation inhibiting activity; Leukemia inhibitory factor; Oncostatin M; Signal transduction; Self-renewal; Interleukin-6 (Yoshida, K. (45) 163)

***Cis*-acting elements**
Dictyostelium; Prespore-specific gene; Transcriptional regulation (Morio, T. (45) 59)

Collagen IV
Embryonic lung; Branching morphogenesis; Basement membrane; Laminin; Nidogen (Thomas, T. (45) 193)

Conditional specification
Signal transduction; Cellular interaction; 7TD receptor; Serotonin; Nuclear distribution (Cameron, R.A. (45) 31)

Cytoskeleton
Mammalian egg; Mammalian embryo; Intermediate filament; Mouse (Gallicano, G.I. (45) 211)

Dictyostelium
Prespore-specific gene; Transcriptional regulation; *Cis*-acting elements (Morio, T. (45) 59)

Differentiation inhibiting activity
Leukemia inhibitory factor; Ciliary neurotrophic factor; Oncostatin M; Signal transduction; Self-renewal; Interleukin-6 (Yoshida, K. (45) 163)

DNase I hypersensitive sites
Gene expression; Liver; Transgenic mice; Tryptophan oxygenase (Kaltschmidt, C. (45) 203)

Drosophila
Evolution; Enhancer element; *hunchback* (Lukowitz, W. (45) 105)

Ret; Receptor PTK; Neuroblast; Neurogenesis (Sugaya, R. (45) 139)

Ovo^{D1} mutation; Germline clone (Mével-Ninio, M. (45) 155)

Basic-helix-loop-helix; PAS domain; *single-minded*; Transcriptional activator (Franks, R.G. (45) 269)

Drosophila melanogaster
Tissue polarity; *frizzled*; Membrane protein; Topology (Park, W.-J. (45) 127)

Embryogenesis
X. laevis; *Fork head*; Transcription factor (Lef, J. (45) 117)

Embryonic lung
Branching morphogenesis; Basement membrane; Laminin; Nidogen; Collagen IV (Thomas, T. (45) 193)

Enhancer element
Drosophila; Evolution; *hunchback* (Lukowitz, W. (45) 105)

Epithelial–mesenchymal interaction
Fibroblast growth factor; KGF; Myocardium; Skeletal muscle; Forebrain (Mason, I.J. (45) 15)

Estrogen
Xenopus; Metamorphosis; Vitellogenin gene expression; Thyroid hormone; Receptor autoinduction (Rabelo, E.M.L. (45) 49)

Evolution
Drosophila; Enhancer element; *hunchback* (Lukowitz, W. (45) 105)

Fibroblast growth factor
KGF; Myocardium; Skeletal muscle; Forebrain; Epithelial–mesenchymal interaction (Mason, I.J. (45) 15)

Forebrain
Fibroblast growth factor; KGF; Myocardium; Skeletal muscle; Epithelial–mesenchymal interaction (Mason, I.J. (45) 15)

Fork head
X. laevis; Transcription factor; Embryogenesis (Lef, J. (45) 117)

frizzled
Drosophila melanogaster; Tissue polarity; Membrane protein; Topology (Park, W.-J. (45) 127)

Gene expression
DNase I hypersensitive sites; Liver; Transgenic mice; Tryptophan oxygenase (Kaltschmidt, C. (45) 203)

Germline clone
Drosophila; *Ovo^{D1}* mutation (Mével-Ninio, M. (45) 155)

Heparin
Suramin; *Xenopus*; Mesoderm ; induction (Cardellini, P. (45) 73)

hunchback
Drosophila; Evolution; Enhancer element (Lukowitz, W. (45) 105)

Inbreeding
Naturally occurring recessive; Territorial specification (Leahy, P.S. (45) 255)

induction
Suramin; Heparin; *Xenopus*; Mesoderm (Cardellini, P. (45) 73)

In situ hybridization
Retinoic acid receptor; RAR; RXR; Mouse development (Dollé, P. (45) 91)

Interleukin-6
Differentiation inhibiting activity; Leukemia inhibitory factor; Ciliary neurotrophic factor; Oncostatin M; Signal transduction; Self-renewal (Yoshida, K. (45) 163)

Intermediate filament
Cytoskeleton; Mammalian egg; Mammalian embryo; Mouse (Gallicano, G.I. (45) 211)

Interstripe repressor element
Stripe formation; Pair rule gene (Hartmann, C. (45) 3)

KGF
Fibroblast growth factor; Myocardium; Skeletal muscle; Forebrain; Epithelial–mesenchymal interaction (Mason, I.J. (45) 15)

Laminin
Embryonic lung; Branching morphogenesis; Basement membrane; Nidogen; Collagen IV (Thomas, T. (45) 193)

Leukemia inhibitory factor
Differentiation inhibiting activity; Ciliary neurotrophic factor; Oncostatin M; Signal transduction; Self-renewal; Interleukin-6 (Yoshida, K. (45) 163)

Liver
DNase I hypersensitive sites; Gene expression; Transgenic mice; Tryptophan oxygenase (Kaltschmidt, C. (45) 203)

Mammalian egg
Cytoskeleton; Mammalian embryo; Intermediate filament; Mouse (Gallicano, G.I. (45) 211)

Mammalian embryo
Cytoskeleton; Mammalian egg; Intermediate filament; Mouse (Gallicano, G.I. (45) 211)

Membrane protein
Drosophila melanogaster; Tissue polarity; *frizzled*; Topology (Park, W.-J. (45) 127)

Mesoderm
Suramin; Heparin; *Xenopus*; induction (Cardellini, P. (45) 73)

Metamorphosis
Xenopus; Vitellogenin gene expression; Thyroid hormone; Estrogen; Receptor autoinduction (Rabelo, E.M.L. (45) 49)

Mouse
Cytoskeleton; Mammalian egg; Mammalian embryo; Intermediate filament (Gallicano, G.I. (45) 211)

Mouse development
Retinoic acid receptor; RAR; RXR; In situ hybridization (Dollé, P. (45) 91)

Myocardium
Fibroblast growth factor; KGF; Skeletal muscle; Forebrain; Epithelial–mesenchymal interaction (Mason, I.J. (45) 15)

Naturally occurring recessive
Inbreeding; Territorial specification (Leahy, P.S. (45) 255)

Neuroblast
Ret; Receptor PTK; Neurogenesis; *Drosophila* (Sugaya, R. (45) 139)

Neurogenesis
Ret; Receptor PTK; Neuroblast; *Drosophila* (Sugaya, R. (45) 139)

NF-κB
Xenopus; *XrelA*; Transcription control (Richardson, J.C. (45) 173)

Nidogen
Embryonic lung; Branching morphogenesis; Basement membrane; Laminin; Collagen IV (Thomas, T. (45) 193)

Nuclear distribution
Signal transduction; Cellular interaction; Conditional specification; 7TD receptor; Serotonin (Cameron, R.A. (45) 31)

Oncostatin M
Differentiation inhibiting activity; Leukemia inhibitory factor; Ciliary neurotrophic factor; Signal transduction; Self-renewal; Interleukin-6 (Yoshida, K. (45) 163)

***Ovo^{D1}* mutation**
Drosophila; Germline clone (Mével-Ninio, M. (45) 155)

Pair rule gene
Interstripe repressor element; Stripe formation (Hartmann, C. (45) 3)

PAS domain
Basic-helix-loop-helix; *Drosophila*; *single-minded*; Transcriptional activator (Franks, R.G. (45) 269)

Prespore-specific gene
Dictyostelium; Transcriptional regulation; *Cis*-acting elements (Morio, T. (45) 59)

RAR
Retinoic acid receptor; RXR; Mouse development; In situ hybridization (Dollé, P. (45) 91)

RARγ Isoform
Retinoic acid receptor; *Xenopus*; Tail (Pfeffer, P.L. (45) 147)

Receptor autoinduction
Xenopus; Metamorphosis; Vitellogenin gene expression; Thyroid hormone; Estrogen (Rabelo, E.M.L. (45) 49)

Receptor PTK
Ret; Neuroblast; Neurogenesis; *Drosophila* (Sugaya, R. (45) 139)

Ret
Receptor PTK; Neuroblast; Neurogenesis; *Drosophila* (Sugaya, R. (45) 139)

Retinoic acid
Retinoic acid receptors; Teratology (Soprano, D.R. (45) 243)

Retinoic acid receptor
RAR; RXR; Mouse development; In situ hybridization (Dollé, P. (45) 91)

RARγ Isoform; *Xenopus*; Tail (Pfeffer, P.L. (45) 147)

Retinoic acid receptors
Retinoic acid; Teratology (Soprano, D.R. (45) 243)

RXR
Retinoic acid receptor; RAR; Mouse development; In situ hybridization (Dollé, P. (45) 91)

Self-renewal
Differentiation inhibiting activity; Leukemia inhibitory factor; Ciliary neurotrophic factor; Oncostatin M; Signal transduction; Interleukin-6 (Yoshida, K. (45) 163)

Serotonin
Signal transduction; Cellular interaction; Conditional specification; 7TD receptor; Nuclear distribution (Cameron, R.A. (45) 31)

Signal transduction
Cellular interaction; Conditional specification; 7TD receptor; Serotonin; Nuclear distribution (Cameron, R.A. (45) 31)

Differentiation inhibiting activity; Leukemia inhibitory factor; Ciliary neurotrophic factor; Oncostatin M; Self-renewal; Interleukin-6 (Yoshida, K. (45) 163)

single-minded
Basic-helix-loop-helix; *Drosophila*; PAS domain; Transcriptional activator (Franks, R.G. (45) 269)

Skeletal muscle
Fibroblast growth factor; KGF; Myocardium; Forebrain; Epithelial–mesenchymal interaction (Mason, I.J. (45) 15)

Stripe formation
Interstripe repressor element; Pair rule gene (Hartmann, C. (45) 3)

Suramin
Heparin; *Xenopus*; Mesoderm ; induction (Cardellini, P. (45) 73)

Tail
Retinoic acid receptor; RARγ Isoform; *Xenopus* (Pfeffer, P.L. (45) 147)

7TD receptor
Signal transduction; Cellular interaction; Conditional specification; Serotonin; Nuclear distribution (Cameron, R.A. (45) 31)

Teratology
Retinoic acid; Retinoic acid receptors (Soprano, D.R. (45) 243)

Territorial specification
Naturally occurring recessive; Inbreeding (Leahy, P.S. (45) 255)

Thyroid hormone
Xenopus; Metamorphosis; Vitellogenin gene expression; Estrogen; Receptor autoinduction (Rabelo, E.M.L. (45) 49)

Tissue polarity
Drosophila melanogaster; *frizzled*; Membrane protein; Topology (Park, W.-J. (45) 127)

Topology
Drosophila melanogaster; Tissue polarity; *frizzled*; Membrane protein (Park, W.-J. (45) 127)

Transcriptional activator
Basic-helix-loop-helix; *Drosophila*; PAS domain; *single-minded* (Franks, R.G. (45) 269)

Transcriptional regulation
Dictyostelium; Prespore-specific gene; *Cis*-acting elements (Morio, T. (45) 59)

Transcription control
Xenopus; NF-κB; *XrelA* (Richardson, J.C. (45) 173)

Transcription factor
X. laevis; *Fork head*; Embryogenesis (Lef, J. (45) 117)

Transgenic mice
DNase I hypersensitive sites; Gene expression; Liver; Tryptophan oxygenase (Kaltschmidt, C. (45) 203)

Tryptophan oxygenase
DNase I hypersensitive sites; Gene expression; Liver; Transgenic mice (Kaltschmidt, C. (45) 203)

Vitellogenin gene expression
Xenopus; Metamorphosis; Thyroid hormone; Estrogen; Receptor autoinduction (Rabelo, E.M.L. (45) 49)

Xenopus
Metamorphosis; Vitellogenin gene expression; Thyroid hormone; Estrogen; Receptor autoinduction (Rabelo, E.M.L. (45) 49)

Suramin; Heparin; Mesoderm ; induction (Cardellini, P. (45) 73)

Retinoic acid receptor; RARγ Isoform; Tail (Pfeffer, P.L. (45) 147)

NF-κB; *XrelA*; Transcription control (Richardson, J.C. (45) 173)

X. laevis
Fork head; Transcription factor; Embryogenesis (Lef, J. (45) 117)

XrelA
Xenopus; NF-κB; Transcription control (Richardson, J.C. (45) 173)